

Maternal employment, breastfeeding, and health: Evidence from maternity leave mandates

Michael Baker
University of Toronto and NBER

Kevin Milligan
University of British Columbia and NBER

April, 2007

COMMENTS WELCOME

Abstract

Public health agencies around the world have renewed efforts to increase the incidence and duration of breastfeeding. Maternity leave mandates present an economic policy that could help achieve these goals. We study their efficacy focusing on a significant increase in maternity leave mandates in Canada. We find very large increases in mothers' time away from work post-birth and in the attainment of critical breastfeeding duration thresholds. However, we find little impact on the self-reported indicators of maternal and child health captured in our data.

JEL Codes: I18, J13, J38

Keywords: maternal employment, breastfeeding, child health, maternity leaves

We thank Byron Lee for excellent research assistance. We received many helpful comments from presentations at the NBER Summer Institute, the AEA meetings, the CEPA and UBC empirical lunches, the Human Early Learning Partnership workshop, McMaster University, Rand, and UC Davis. We also gratefully acknowledge the research support of SSHRC (Baker Grant , #410-2005-0486, Milligan Grant #410-2006-0928). Finally, we thank the staffs of the Toronto and B.C. Research Data Centres for their technical support. This paper represents the views of the authors and does not necessarily reflect the views of Statistics Canada.

1.0 Introduction

Public health agencies around the world have renewed efforts to increase the incidence and duration of breastfeeding. For example, in recent years the World Health Organization, the US Department of Health and Human Services, and Health Canada have extended exclusive breastfeeding advisories to six months, and recommendations for continued feeding up to 2 years.¹ These revised targets are supported by public health campaigns such as the U.S. Healthy People 2010 initiative, which promote population benchmark breastfeeding rates that well exceed current behavior.² In short, the push behind these initiatives is determined and the goals are ambitious.

Public policy must recognize that the obstacles to achieving these aggressive public health goals are varied.³ In the first weeks after birth there is clearly a rationale for educational interventions. Mothers who do not breastfeed by choice may simply not know the benefits of breastfeeding. Often, those who stop early report difficulty with technique, or worry that their child is not getting enough food. Counseling, support and training might best address these problems. The separate challenge of prolonging breastfeeding duration past the initial weeks brings up a different set of issues. Mothers report that the need to return to work is the leading reason to stop breastfeeding at longer durations. Labor market policies, including job-protected

¹ The World Health Organization recommends six months of exclusive feeding (World Health Organization 2001). The US Department of Health and Human Services recommends six months of exclusive feeding, with continued feeding to one year (Department of Health and Human Services 2000). Health Canada recommends six months of exclusive feeding with continued feeding up to age 2 and beyond (Health Canada 2004).

² In the US, the 2010 “Healthy People Goal” is to reach a level of 75 percent feeding in the early postpartum period, 50% at six months, and 25% at one year (Centers for Disease Control 2006). According to the Centers for Disease Control as of 2005, 72% of new mothers breastfeed but fewer than 40% are still breastfeeding at 6 months. In Canada, an initiative to set out public health goals for Canada was set up in 2005, but has not yet followed through with recommendations. In a controversial example of the force of the public health campaign, an advertisement in the United States suggested that not breastfeeding was as bad for one’s child as riding a mechanical bull while pregnant. See Rabin (2006) for details.

³ See the discussion of the role of policy in attaining breastfeeding goals in Galtry (2003).

leaves from employment after birth and labor standards that facilitate breastfeeding or the expression of breast milk at work, might be the more appropriate response to these challenges.

Underlying these public health campaigns are the benefits attributed to breastfeeding. These benefits are widely believed to be extensive—ranging from higher intelligence for children to reduced risks of breast cancer for mothers—but the supporting research is in some ways problematic. The problem stems from the identification strategy used in most studies. Experimental evidence of the benefits of breastfeeding is rare due to ethical concerns. Therefore, most studies rely on observed variation in breastfeeding behavior across mothers.⁴ However, there is good reason to believe that this observed variation is correlated with important unobserved determinants of child outcomes, leading to biased estimates of the impact of breastfeeding on health and development. There are important examples where the estimated benefits of breastfeeding vary with the number of confounding factors accounted for in the analysis (e.g., Der, Batty, and Deary 2006).

Therefore, despite the rising profile of public health goals for breastfeeding, the answers to two fundamental questions remain uncertain. First, what public policies will best attain these goals? Second, what would be the impact of achieving these goals on the health and welfare of children and their mothers? We provide new answers to these questions, focusing on labor market policies that provide mothers job-protected, paid leave post-birth. This is a significant departure from the existing, primarily public health, literature that focuses on educational interventions.

Our contribution is rooted in a large increase in maternity/parental (henceforth “maternity”) leave entitlements in Canada. Mothers giving birth before December 31, 2000 were

⁴ Two recent exceptions to this criticism are Kramer et al. (2001) and Der et al. (2006). We discuss these studies later in the paper.

entitled to a maximum of approximately six months of job-protected, compensated maternity leave. For children born after that date, both benefit entitlement and job protection were extended to about one year in most provinces. Previous evidence (Baker and Milligan 2005; Hanratty and Trzcinski 2006) indicates that this reform led to a very large increase in the amount of time before mothers returned to work post-birth. We pursue the impact of this reform on time spent away from work through to breastfeeding decisions, and finally child and mother health.

One advantage of our policy-based identification strategy is the plausible orthogonality of the increase in the maternity leave entitlements to unobserved maternal and child characteristics. This provides variation in the period of time before mothers return to work post-birth, and correspondingly in breastfeeding incidence and duration, which is less likely to be correlated with these unobservables. This is a clear advance in a literature that primarily offers observation-based inference. Also, the labor market policy we evaluate speaks directly to the high proportion of mothers who cite work as an obstacle to breastfeeding. Finally, the specific leave extension we examine affects an age range (six to twelve months) that previous research indicates to be critically important, and also spans important public health goals for breastfeeding.

Our results confirm the previous evidence that extended maternity leave mandates increase the period of time before mothers return to work post-birth. Within the child's first year of life we estimate an increase of 3-3.5 months among those eligible for the leave.⁵ This led to a significant increase in the duration of breastfeeding in the first year – over 1 month for eligible mothers—and in the duration of exclusive breastfeeding—over one-half month. Importantly, we find that the proportion of women attaining six months of exclusive breastfeeding increased by

⁵ For this and other results reported in this paragraph, we have scaled our estimated coefficients by a factor to correct for the proportion of women in our sample who were (unobservably to us) not eligible for the leave. We explain later in the paper how we derive these 'treatment on the treated' estimates from our reported regression coefficients.

between 7.7 and 9.1 percentage points; over 39 percent of the pre-reform mean. Connecting the labor supply and breastfeeding results, we provide an instrumental variables estimate of the relationship of time away from work post-birth in the first year of life and the corresponding period breastfeeding. Breastfeeding increases a third of a month with every additional month not at work, which implies an elasticity of 0.458. We are not aware of other estimates of this elasticity in the literature.

We then trace this increase in breastfeeding (and contemporaneous decrease in non-parental care) through to a set of self-reported health outcomes that previous research has linked to breastfeeding. For no outcome do we find robust evidence that the increase in breastfeeding had a beneficial effect. While this conclusion may originate in some unobserved deficiency in the self-reported measures of health, it does not differ greatly from the more modest benefits of breastfeeding found in studies that exploit a randomized design.

2.0 Previous research on breastfeeding

In the large literature on the determinants and characteristics of breastfeeding durations, the relationship of breastfeeding to work figures prominently. We briefly review this evidence below. Following that, we discuss the voluminous evidence on the consequences of breastfeeding for infant, child, and maternal health.

2.1 Breastfeeding and labor supply

Data on breastfeeding behavior consistently identify return to work as an important reason both for stopping breastfeeding or never starting (e.g., Bick et al. 1998, Lansino Laboratories 2005). This reason grows in importance starting at about 6 weeks and emerges as the top reason for stopping at longer durations (Hamlyn et al 2002, Schwartz et al. 2002).

There are few theoretical models of the decision to breastfeed in the economic literature. Roe et al. (1999) and Chatterji and Frick (2005) point out that opportunity cost of time spent breastfeeding will rise significantly with the return to work, predicting a clustering of breastfeeding termination just prior. Furthermore, if the expected duration of breastfeeding is short because of planned cessation on return to work, the fixed costs in equipment and learning may not exceed the short flow of benefits, leading to decreased breastfeeding initiation. Implicit here is an assumption that the decision to breastfeed is secondary to the choice of how long to stay away from work, which is also a common assumption in most empirical studies of this topic.

Empirically, the relationship between breastfeeding durations and the return to work is studied in (among many others) Kurinij et al. (1989), Geilen et al. (1991), Lindberg (1996), Visness and Kennedy (1997), Fein and Roe (1998), and surveyed in Dennis (2002). All of these papers provide evidence that maternal employment post-birth is associated with shorter breastfeeding duration, although not with decreased initiation of breastfeeding. Roe et al. (1999) use an instrumental variables strategy to sort out the direction of causality between employment and breastfeeding, reporting that causality flows from return to work to breastfeeding, and not the other way.⁶ Chatterji and Frick (2005) use a family fixed effects framework to control for unobserved family background factors, and find that women returning to work earlier have lower breastfeeding durations as well as lower rates of initiation.

Finally, Human Resources and Skills Development Canada (2005) evaluates the same change in maternity leave that we analyze. They use Employment Insurance administrative data on maternity leave beneficiaries combined with follow-up surveys, comparing children born in the year immediately preceding the reform to those born in the year following. Of some concern is high levels of sample attrition in one follow-up survey (>40%) and a low response rate in

⁶ See a critique of this IV strategy in Chatterji and Frick (2005).

another (<45%). With these shortcomings in mind, the cross-tabulations in this study report a 10 week increase in the time away from work post-birth and a 3.5 week increase in breastfeeding duration.

2.2 Breastfeeding and health

In 1997, the American Academy of Pediatrics summarized the benefits of breastfeeding, citing 111 research articles, in support of a new set of breastfeeding guidelines (American Academy of Pediatrics 1997). The reported benefits for children include decreases in diarrhea, otitis media (ear infections), gastro-intestinal diseases, asthma, lower respiratory infections, sudden infant death syndrome, lymphoma, and chronic digestive diseases. For mothers the benefits include an earlier return to prepregnant weight, improved bone remineralization, and a reduced risk of ovarian and premenopausal breast cancer.⁷

This evidence, while impressive in volume, may leave a cautious researcher less than fully convinced. The inference in the great majority of the research comes from observation: comparisons of mothers who breastfeed with those who do not; or who breastfeed for shorter or longer periods. Observable maternal characteristics are controlled for in the hope that they span all confounding factors. Kramer et al (2001, p. 414) claim that “All of the scientific evidence regarding breastfeeding and morbidity in healthy full-term infants is based on observational studies.” (emphasis added.) Therefore, it is possible that unobservable characteristics drive both the health outcomes and the decision of when and how long to breastfeed.

This concern over causality is not pedantic. Two recent studies that more carefully address the question of causality find that some results from the literature survive a more rigorous test while others do not. Kramer et al. (2001) use an intention-to-treat research design,

⁷ In the extreme, Ruhm (2000) and Tanaka (2005) speculate that breastfeeding may be the channel through which maternity leave mandates and infant mortality are linked in their cross-country time series studies.

randomly assigning post-birth lactation support across maternity hospitals and clinics in Belarus. This treatment resulted in very substantial increases in breastfeeding durations, significant reductions in the risks of gastrointestinal tract infections and atopic eczema, but importantly not in the incidence of a variety of respiratory ailments. Der, Batty, and Deary (2006) use matched sibling pairs from the NLSY to revisit the relationship between breastfeeding and cognitive ability. They find that family background confounding variables can explain the previously-documented correlation between breastfeeding and intelligence in children. A further meta-analysis of the literature suggests that previous studies that show stronger relationships between breastfeeding and intelligence control for fewer family background variables.

Another important focus in the literature is the role of threshold effects—the duration of breastfeeding has effects separate to those of incidence. Chantry et al. (2006) find large increases in the odds of contracting pneumonia or otitis media among those breastfed exclusively for only 4 to 5 months rather than six or more. Kramer et al. (2003) find significantly higher rates of gastrointestinal illness for those breastfed exclusively 3 months compared to those breastfed exclusively for at least 6 months (although they find no difference in respiratory diseases or rashes).⁸

3.0 Policy Environment

Income replacement for maternity leaves in Canada is governed by the Employment Insurance (EI) program. Most other terms of the leave, including job protection, are determined by provincial labor market standards. We describe in this section the parameters of maternity leaves, as well as other family policies that changed over the period of interest.

⁸ See also Kramer and Kakuma (2002).

3.1 Maternity leave benefits

Maternity leave benefits have been part of the EI program since 1971. Eligibility and benefit entitlement are determined by the same formulas used to calculate unemployment benefits. Qualification depends on having 600 hours of paid employment over the twelve months prior to the date of the claim. Benefits are based on earnings over the 6 months prior to the cessation of work, with a replacement rate of 55% up to a cap of \$39,000. This delivers a maximum weekly benefit of \$412.50 per week. However, a two week waiting period with zero benefits lowers the effective replacement rate over the full span of the leave.

The policy change we study affected children born on December 31, 2000 or later. Leave entitlement pre-reform was 15 weeks of paid benefits for mothers, plus a further 10 weeks of benefits that could be split between the mother and the father, yielding a total of 25 weeks of benefits. For children born on December 31, 2000 or later, another 25 weeks was added, making 35 weeks that could be split between the mother and the father—and yielding a total potential entitlement of 50 weeks to new mothers. The reform also included a reduction of the required hours of employment for eligibility from 700 to 600.

Because eligibility depends on attachment to the labor force before the birth of a child, not all mothers are eligible. Data from the Survey of Employment Insurance Coverage (Statistics Canada 2006) show that the proportion of mothers with children aged less than one year who had insured employment in the 12 months preceding childbirth was 70 percent in 2000, and has fluctuated between 74 and 75 percent from 2001 through 2005.⁹ The proportion of

⁹ This suggests that the reform led to an increase in the pre-birth employment of mothers, but the match is not exact because each survey runs from April through January of the following year and the reference period is for employment in the 12 months preceding the birth of a child who can be up to 12 months old. Unfortunately there are no data on maternity benefits preceding the 2000 survey.

mothers with insurable employment who are eligible for and claim benefits rises from 80 percent in 2000 and 2001 to roughly 85 percent in 2002-2005.

3.2 *Job protection for maternity leave*

Uncompensated, job-protected maternity leave is provided through provincial labor standards legislation.¹⁰ The standards set thresholds for pre-birth employment to determine eligibility, ban dismissal due to pregnancy, mandate a minimum duration for leave, ensure a return to the same or a similar job upon return, and specify which terms of employment are preserved during the leave.

Contemporaneous with the changes in EI maternity leave benefit entitlements, many provinces increased the mandated duration of job-protected leave to around 52 weeks. We summarize these changes in Table 1. Three differences across jurisdictions are clear. First, Quebec did not change its standards, having extended leave to 70 weeks in March 1997. Second, among the other provinces there is some heterogeneity in starting points, which range from 18 weeks in Alberta to 35 weeks in Ontario. Third, almost all provinces moved on the same date—December 31, 2000—with only Alberta and Saskatchewan having slightly delayed their extensions. We account for each of these aspects of the reform in our empirical strategy.

3.3 *Other policy changes*

Because our inferences will lean heavily on differences across time, it is important to account for other changes to the social and economic environments facing families with young children over the period. There are two key developments. The first is a universal, heavily

¹⁰ Workers in some industries are covered by federal labor standards legislation rather than provincial. These industries include federal civil servants, banking, transportation, and communications. Employment in federally regulated industries amounts to around five percent of the labor force.

subsidized, childcare program in Quebec. Introduced in 1997, it was extended to children aged 0 to 1 in September 2000. Baker, Gruber, and Milligan (2005) report that the program induced large changes in the use of non-parental care in Quebec, and was associated with substantial changes in measures of family wellbeing. The second change was continued increases to the federal National Child Benefit, with the one-child rate moving from \$605 in 1998 to \$1,293 by 2002. Milligan and Stabile (2007) report that this benefit had a substantial impact on the employment of single mothers. Because the benefit is targeted to low income families, it had much less impact on the incomes of two-parent families.¹¹

4.0 Predicted Effects

In Klerman and Leibowitz's (1997) model of maternity leave mandates the effect of an increase in a leave mandate is ambiguous. Some women will stay away longer from work post-birth while others will return earlier.¹² If mothers do spend more time away from work post-birth, then a simple model of breastfeeding featuring fixed 'startup' costs and a marginal cost of breastfeeding that increases upon the return to work would predict more breastfeeding. There would be higher incidence as more women find the flow of benefits exceed the fixed costs of starting, and longer duration due to the increase in the period of time before women face the higher marginal cost of breastfeeding while working.

More time away from work may affect health through increased breastfeeding, but also through other channels. For example, it may crowd out non-parental childcare. If this substitution affects health, then the channel leading from the mandates to health outcomes may

¹¹ In 1998, the National Child Benefit was reduced to zero for family incomes above \$25,921. By 2002, this threshold had reached \$32,960.

¹² Some of those mothers who took the full mandated leave before the leave extension will stay away longer. Those who pre-reform quit their jobs to take a leave in excess of the mandate, may now take the new longer mandated leave and thus return earlier.

not be clear. We attempt to separate the effects of breastfeeding and parental care through our choice of outcomes and the age groups we use for analysis, but the intrinsic duality of the treatment remains a qualification for this part of the analysis.

Finally, family incomes may differ before and after the reform. If so, the change in incomes may present another mechanism through which health outcomes change. In simulations, however, we found that the effective replacement rate changed very little with the reform—although lower earning women with substantial childcare costs did show higher incomes, after tax and childcare costs.¹³

5.0 Data

We use the National Longitudinal Study of Children and Youth (NLSCY) to analyze the effect of the increase in maternity leave mandates on the time mothers stay away from work post-birth and mothers' and children's health. The NLSCY is a national survey of children, excluding only residents of the scarcely populated northern territories, institutions, Indian reserves, and members of the Canadian Forces. It is conducted biannually, and 6 waves of data are currently available: 1994-95, 1996-97, ..., 2004-05. The first wave covered a cohort aged 0-11, which has been followed longitudinally in subsequent waves. New cohorts of young (aged 0 and 1) children have been added in each wave, but are not always followed continuously in subsequent waves. The survey content is deep on questions of parental labor supply, childcare,

¹³ We calculated replacement rates taking into account taxes and childcare costs, comparing income if on leave and income if at work. For women earning under the median, childcare costs and taxes take a substantial share of earnings, meaning that a paid leave would increase family income if the alternative were work and paid childcare. On the other hand, for women earning at the median, we find replacement rates around 1.0, meaning that the maternity benefit is approximately the same as the after-tax, after childcare wage. At the 90th percentile of earnings, the replacement rate drops to around 60 percent. Importantly, the reform changes the replacement rates very little – the only impact is that the two week initial waiting period for benefits becomes relatively less important when the leave is 50 weeks long, which gives a small (on the order of 0.05) boost to the replacement rates in 2001.

parenting, health and school performance, although at the ages we examine only some of these variables are available.

We start with the sample of all children born in a six year window around the policy reform; those with a year of birth between 1998 and 2003. The NLSCY does not allow us to observe maternal hours worked in the year before the birth, so we cannot condition our sample on eligibility for job protected maternity leave and/or EI benefits. Instead, we simply keep all children—including those born to the roughly 25 percent of mothers who were not eligible.

There are three notable omissions from our sample. First, we exclude children from single-parent families; about 10 percent of births over this time period. We are concerned that other policy changes such as the enhancements of the National Child Benefit may influence their behavior. In addition, given the smaller financial resources of single parents, we might expect them to respond to changes in leave mandates differently than their partnered counterparts, but we lack the sample sizes to conduct a separate analysis of this group. This said, we present estimates of our key results from a sample including single parents in the appendix Table A5.

Second, we omit children from Quebec. Not only did Quebec's job protected leave mandate stay constant at 70 weeks through our sample period, but also the expansion of subsidized childcare further confuses the economic environment. These factors render Quebec families unsuitable as either a treatment or a control group for our analysis.¹⁴

The final excision removes observations when the survey respondent is not the mother, since fathers may have systematically worse knowledge about the breastfeeding habits of mother and child. This decision matches the survey respondents in our breastfeeding data from the Canadian Community Health Survey.

¹⁴ We also exclude the very small number of children born in Alberta and Saskatchewan in the months between December 2000 and the point when the provincial maternity leave mandate changes a few months later.

For the analysis of the time away from work post-birth our focus is the first year of life. We therefore sample children starting at age 13 months, meaning that complete information on the first year is available. We stop our sample at age 29 months, which allows us to maintain a common age span for each birth cohort while maximizing sample size. Our key variable is the number of months in the first year of the child's life that the mother is not at work. This is well-defined for all mothers, including those who have not yet returned to work by the end of the first year. We also examine the proportion of mothers who have not returned to work by 1, 3, 6, 9 and 12 months.

For the analysis of health outcomes we draw two samples, children aged 7-12 and 13-24 months respectively. This allows us to investigate any health impacts contemporaneous with the increase in maternity leave from 6 to 12 months, as well as any persistent affects in the older age group. Available measures of health include birth outcomes (gestation, birth height and length, complications), the mother-reported current health status of the child (and mother), the incidence of specific ailments (nose and ear infections, asthma, allergies, chronic conditions), and injuries. For mothers, we observe depression, post-partum depression, and related post-partum problems. Note that the strength of the NLSCY for children's health is respiratory ailments.

Our analysis of breastfeeding uses the Canadian Community Health Survey (CCHS), a survey of individuals aged 12 years or older. Women who have given birth within five years of the survey date are asked a series of questions about breastfeeding. These questions provide detail on the incidence and duration of breastfeeding, the timing of the introduction of foods, and the reasons breastfeeding was not initiated and why it ended. We use data from the second (2003) and third (2005) cycles of the survey.¹⁵ We sample the same birth cohorts as in the

¹⁵ Data from the first cycle has a different coding of the breastfeeding duration variable and no information on the introduction of food or exclusive breastfeeding.

NLSCY, drawing data on the 1998-2001 cohorts from the second cycle and the 2000-2003 cohorts from the third cycle to ensure breastfeeding activity in the first year of life is fully observable. We again focus on children in two-parent families and exclude observations from Quebec.¹⁶

Our CCHS variables are chosen to conform to conventions in the breastfeeding literature and to complement the NLSCY variables. They include the proportions of mothers still breastfeeding and still exclusively breastfeeding 1, 3, 4, 6, 9 and 12 months post-birth, the months in the first year of life the child was breastfed, as well as 0/1 indicators for the different reasons breastfeeding ended. Again the duration measures are well defined for all mothers, including those who breastfeed more than one year or who are currently breastfeeding.

6.0 Empirical Approach

Our empirical strategy compares the outcomes of children born before and after the increase in the maternity leave mandate. We do this through the use of a two-step procedure that respects the fact that our policy variation is not at the level of the individual. To motivate our approach consider the estimating equation

$$(1) \quad y_i = X_i\beta + \phi POST_i + \varepsilon_i$$

where y is the outcome of interest for individual i , X are conditioning variables and $POST$ equals 1 for cohorts born after the reform (2001 or later). Conditional on the X 's, $POST$ will capture average differences in y between children born in pre-and post-reform birth cohorts. While we wish to interpret the estimate of $POST$ as only capturing the impact of the policy reform, it is clear it will also capture *any* unobservable, systematic differences across birth cohorts related to

¹⁶ Because we see only year and not month of birth, we cannot implement the partial exclusion of observations from Alberta and Saskatchewan as we did for the NLSCY. However, in checks with the NLSCY including and excluding these observations makes little difference to the results.

y and correlated with *POST*. These could be due to other changes in the environment or secular changes in the types of mothers who give birth—it is just these concerns that led us to delete observations on single parents and from the province of Quebec. Because the change in maternity leave was country-wide, there are no obvious control groups within Canada to account for these confounding factors. Also, because past data collection on breastfeeding has been sporadic in the U.S., we cannot construct a U.S. control group.

We address this challenge in three ways. The first is to carefully examine inter-cohort changes in outcomes before and after the reform. We can unpack the *POST* dummy into cohort specific indicators leading to the estimating equation

$$(2) \quad y_i = X_i\beta + \sum_t \gamma^t YOBt_i + u_i$$

where *YOB* denotes year of birth. The γ^t ($t=1999-2003$) provide birth cohort specific estimates of the conditional mean of y , and therefore can reveal any secular trends in y that might undermine the inference. Ideally we would want these estimates to be relatively similar across cohorts before and after the reform. Alternatively, by comparing estimates of γ for adjacent birth cohorts we can construct counterfactual estimates of *POST* assuming the policy reform occurred in 1999/2000, for example, rather than 2000/2001.

Figure 1 demonstrates these points. We graph the estimates of γ when y is the number of months the mother is away from work in the child's first year of life. The 1998 cohort is the excluded category, so the estimates are relative to the time at home for mothers of that birth cohort. While there are some differences in the estimates between birth cohorts, the change between the 2000 and 2001 cohorts corresponding to the maternity leave reform is dominant. There is no change of similar scale if we think of counterfactual policy reforms across any other

pair of adjacent cohorts. We report estimates of the γ for all outcome variables in the appendix, and draw on this evidence in our interpretation of the estimates of *POST*.

The second approach separates mothers into those who were likely eligible for the leave and those who were not. The NLSCY has only occasionally collected information on pre-birth employment, but has good information on post-birth work. We can use this information to restrict the sample based on post-birth characteristics that should be highly correlated with pre-birth eligibility, such as work post-birth. By comparing our results in this subsample to the results from the full sample, which includes potentially ineligible mothers, we can observe whether the ineligible are contributing to a result or whether it is the eligibles who drive the estimates in the full sample. Because post-birth work patterns are potentially affected by the reform, this approach can act only as an informal check on our main results.

Finally, a third approach is to construct control groups of older children from pre-reform cohorts. This is feasible for the health outcomes for which we have contemporaneous observations for both our analysis sample and the older age group. The observations on the older children will control for any year-specific environmental factors affecting the health of children of all the ages, or any systematic survey instrument effects: subtle changes in the wording or delivery of the survey across waves that affect the responses to the health questions. We select children aged 25-36 months to serve as a control group for the analysis sample aged 13-24 months.¹⁷ We drop data from the 6th wave of the survey because there are no observations on the pre-reform cohorts in the 25-36 month interval. The estimating equation corresponding to (1) for the analysis is

$$(3) \quad y_i = X_i\beta + \alpha YNG_i + \lambda POSTW_i + \eta YNG_i POSTW_i + \mu_i$$

¹⁷ For some outcomes the older children span a smaller age interval because some health questions are only asked of specific age groups.

where $YNG_{iw}=1$ if the observation is for a child aged 13-24 months, and $POSTW=1$ for observations from post-reform survey years (i.e., wave 5 of the data).

Following Donald and Lang (2007), we recognize that our policy effects are effectively identified by variation in the conditional mean of our dependent variables across (typically) six birth cohorts, and so the estimation procedure that we use respects this fact. We first estimate equation (2) with no constant, which provides direct estimates of all the YOB_t effects. The numbers of observations for these first-stage regressions are reported in the appendix tables. We next use these estimates as the dependent variable in a six observation regression analogous to equation (1), but with only a constant and $POST$ as explanatory variables and weighting by the sum of the individual weights by year of birth. Because there will be four degrees of freedom in these regressions, the critical value for statistical significance is 2.78 at the five percent level. It is important to note that all the substantial inferences of the paper are robust to different methods of calculating the standard errors.¹⁸

The control variables for these regressions include dummy variables for male children, single month of child's age, province, city size, mothers' and fathers' education (4 categories), age (6 categories) and immigrant status, and the presence of up to 2 older or younger siblings.¹⁹ We also report a specification that adds the year of birth provincial unemployment rate as a

¹⁸ We also directly estimated equations (1) and (2) comparing robust standard errors to estimates clustering on the year of birth. The latter standard errors were implausibly *small* for some parameters of interest. Another approach involved a first step of estimating equation (1) with a full set of province/year of birth interactions. The estimates of $POST$ were then estimated from a 54 observation (9 provinces, 6 years of birth) second step regression using the province/year of birth interactions as the dependent variable. A third approach substituted a full set of province/ $POST$ interactions in the first step resulting in a 18 observation second stage (9 provinces, 2 values of $POST$). This last method potentially has the advantage of addressing the effects of any autocorrelation in the error term following the advice of Bertrand et al. (2004).

¹⁹ For the CCHS regressions the control variables are dummy variables for province, city residence, mothers' education (4 categories), age (single year) and immigrant status. The other controls are not available in the CCHS.

control for local labor market conditions.²⁰

7.0 Results

Most of the estimates are for samples that include mothers who were not eligible for job-protected maternity leave or Employment Insurance benefits. We can translate these intention-to-treat estimates to an impact of the treatment on the treated using information from the Survey of Employment Insurance Coverage discussed earlier. If we assume that all mothers with pre-birth insurable employment were eligible (75 percent), then we should scale our estimates by $(1/0.75)$ 1.33. However, only 85 percent of these mothers actually qualified and applied for benefits, suggesting a scale factor of $[1/(0.75*(0.85))] = 1.57$. We use these two scale factors as bounds to translate our intention-to-treat estimates to estimates of treatment on the treated in the discussion of results that follows.

7.1 *Time at home*

Estimates of the impact of the maternity leave expansion on mothers' time not at work in the first year of life are presented in Table 2. In the first row are the results for the summary measure "total months away from work." There is a significant increase of almost 2.3 months, which represents a 28 percent increase over the pre-reform average of 8.2 months. As already seen in Figure 1, the estimates of the individual year of birth (YOB) effects, reported in Table A1 of the appendix, are consistent with a causal interpretation of this result. Adjusted to an estimate of treatment on the treated, the intention-to-treat coefficient of 2.3 months is scaled up to between 3.05 and 3.59 months.

²⁰ Because interviews process spans several months, we use the average unemployment rate for the months September through May in the relevant years.

In the next column is the estimate from a specification that excludes all explanatory variables except the *YOB* effects from the first-stage regression. This estimate provides a simple check on our implicit assumption that births are randomly distributed across birth years. While this specification does not guard against possible correlation of unobserved mother or child characteristics with the *POST* dummy, it would certainly be harder to maintain this assumption if we found significant correlation of observable characteristics with *POST*. As it turns out this estimate is very similar to its predecessor, indicating a 2.16 increase in months away from work in the first year.

The third column adds the provincial unemployment rate as an additional control in the first-stage regression. It is natural to suspect that labor market conditions might affect the time before a mother returns to work post-birth. The estimate, however, is almost identical to the one in the first column.

In the next rows of Table 2 we map out the distribution of the impact of the reform by presenting separate estimates for the proportion of mothers still away from work at 1, 3, 6, 9 and 12 months. A comparison of the estimates across columns reveals that in each case the specification of the conditioning variables matters little to the inference. As a result we can efficiently summarize both the estimates of *POST* and the individual *YOB* effects (Table A1) for these variables in Figure 2 where we graph the empirical survival function by year of birth at 1, 3, 6, 9 and 12 months from the data.²¹

In Figure 2, pre-reform cohorts are denoted with broken lines; post-reform with smooth lines. There are two important conclusions. First, the estimates are relatively stable within the pre- and post-reform birth cohort groupings. While there is some variation across cohorts at longer durations pre-reform, this does not represent a secular trend upwards: the highest line is

²¹ These are simple weighted means of the proportions still not at work at the indicated month by birth cohort.

for the 1999 cohort and the function drops back down with the 2000 cohort. The overall pattern of the lines across the reform supports a causal interpretation of the *POST* estimates. Second, largest impact of the reform is exactly where we expect: at durations between the old and new mandates. The effect here is substantial. As reported in Table 2 (first column) the increase at 9 months is 79 percent of the pre-reform mean, and at 12 months is 71 percent. It is clear that the reform led to significant increase in the length of time mothers were away from work.

We obtain an alternative summary of these results by directly estimating the relationship between months not at work in the first year and the provincial job-protected leave mandates presented in Table 1. This specification takes account of differences in the pre-reform mandates across provinces. We estimate this relationship in one step, substituting the legislated leave mandate (in weeks) for *POST* in (1), and estimating the standard errors clustering on province/*POST* (18 groups). In the base specification of the conditioning variables the estimate is 0.092 (0.016), or approximately (0.092×4.333) 0.4 of a week at home for each additional week of mandated leave. After scaling for treatment, the estimate is between 0.123 and 0.143.

As a final check, we compare these results to those from the restricted sample of ‘likely eligibles’: mothers who return to work in their child’s first year of life.²² In this sample, the estimate of *POST* is 3.22 (0.196), which sits at the midpoint of the estimated bounds from the scaling method. This suggests that our estimates in the full sample are driven by the eligibles, with the ineligibles implicitly taking the role of control group. The mean time away from work for this sample 5.9 months, which is less than the 8.2 months in the full sample. It then follows that the estimated percentage increase in time not at work for the treated from this sample at 55 per cent $(3.22/5.9)$ is much higher than our previous estimate of 28 percent from the full sample.

²² As mentioned earlier, this selection is potentially endogenous to the reform. In unreported results, we estimate a modest decrease in the proportion of mothers returning in the first year as a result of the reform which is not statistically significant. Moreover, the individual *YOB* effects do not clearly indicate a causal effect.

We can also use this sample to directly estimate an elasticity of time away from work with respect to weeks of provincially-varying job-protected leave for the treated, evaluated at the sample means, which is 0.742.

7.2 Breastfeeding

In Table 3 we present the breastfeeding results based on data from the CCHS. We begin with incidence and duration of breastfeeding, and close with an investigation of why breastfeeding stopped. The incidence question in the CCHS asks women if they breastfed or even tried breastfeeding their baby.²³ In the first row of the table, the reform seems to have had relatively little effect on incidence. The results are not large relative to the mean, and only in one specification does the coefficient attain statistical significance. This is largely consistent with the literature, which has found little impact of return to work on incidence.

The next 7 rows of Table 3 contain the results for months of breastfeeding in the child's first year. Months of breastfeeding is estimated to have increased by 0.75, which is 14 percent of the pre-reform mean of 5.34 months. A check across columns reveals this result does not depend on the specification of the explanatory variables, and the individual's year of birth effect estimates in Table A2 support a causal interpretation. We summarize the results at specific duration thresholds by graphing the empirical survival functions by year of birth in Figure 3. Again the functions are relatively stable within the pre- and post-reform cohorts, especially between 3 and 9 months. It is also at these months where we see the main impact of the reform in a significant shift upwards in the functions. Finally, scaling the results to obtain a treatment on the treated, we estimate an increase in months in the first year ranging from 0.995 to 1.17.

²³ The exact wording is "(For your last baby,) did you breastfeed or try to breastfeed your baby, even if only for a short time?"

We have no information on employment pre- or post-birth in the CHHS, so we cannot attempt to estimate a treatment on the treated through a restricted sample as we did for the NLSCY.

Recommendations for breastfeeding in US and Canada range from one to two years. While breastfeeding rates at long durations remain modest post-reform, the proportional increases over the pre-reform means resulting from the increase in the mandate are impressive. Scaling the estimates for treatment (1.33) they range from 23 percent at 6 months to 32 percent at 12 months. Furthermore, these estimates are lower bounds, as the pre-reform means for the treated are likely lower than for the full sample.²⁴

We also estimate the relationship between months of breastfeeding in the first year and weeks of mandated leave. The estimated parameter is 0.031 (0.008). For the treated using the 1.33 scale factor the estimate is 0.041 months, or 0.18 of a week with each week of mandated leave. To calculate an elasticity, we need the sample averages of months of breastfeeding in the first year and weeks of mandated leave for the treated. While we cannot directly estimate these means in the CCHS, we can do so using information from the NLSCY.²⁵ The resulting elasticity for eligible women is 0.318.

In the next 4 rows are results for exclusive breastfeeding.²⁶ Total months of exclusive breastfeeding are estimated to increase 0.38 in the full sample, or over 12 percent of the pre-reform average of 3 months. After scaling up, the estimate for the treated is between 0.51 and

²⁴ The NLSCY also contains some limited information on breastfeeding. We do not use these data due to reported problems in the application of this part of the survey in wave 5, which, importantly, spans the reform we analyze. Deleting the wave 5 data (which still leaves some pre- and post-reform observations), however, we can calculate the ratios of means of breastfeeding variables between the sample of births to mothers who returned to work in the first year (our sample of the “likely treated”) and the full sample of births. For example, in the NLSCY the mean proportion of mothers, who return to work in the first year and are still breastfeeding at 6 months is 92 percent of the full sample mean. Applying this proportion to the CCHS full sample mean we obtain a 25 percent increase in the proportion still breastfeeding at 6 months for the treated as a result of the reform.

²⁵ See footnote 24. Using the NLSCY we calculate the ratios of the mean months breastfeeding in the first year and weeks of mandated leave between the full sample of births and the sample of births to mothers who returned to work in the first year. We then apply these ratios to the full sample means in the CCHS to obtain a mean for the treated.

²⁶ The CCHS questionnaire asks, “How old was your (last) baby when you first added any other liquids (e.g. milk, formula, water, teas, herbal mixtures) or solid foods to the baby’s feeds?”

0.59 months. Looking at the attainment of thresholds, the primary effect is between 3 and 6 months, with the estimated change increasing as a percent of the pre-reform mean. At six months exclusive breastfeeding—the public health target—the estimated impact of the reform is 5.8 percentage points in the full sample. Scaling for treatment, we get 7.7 to 9.1 percentage points or 38.7 to 45.5 percent of the pre-reform full sample mean of 0.20. These proportional increases are likely lower bounds as the pre-reform mean for the treated is likely smaller.²⁷

The final rows of Table 3 investigate the reasons mothers report ending breastfeeding. There is a relatively large impact on the proportion that reports introducing food due to work relative to the pre-reform mean. There is also a significant and quite large impact on stopping due to work, approaching 50 percent of the pre-reform mean. As work falls in importance, the proportions reporting other reasons must necessarily rise. The largest increase comes from mothers reporting that the baby was ready for solid food. In the final row of the table we report a significant effect on the proportion who never initiated due to work that is large relative to the pre-reform mean.

We close the breastfeeding analysis with a two-sample instrumental variables (Angrist and Krueger 1992) estimate of the impact of months away from work on months breastfeeding. Informally, one can use ratios of results from Tables 2 and 3 to obtain TSIV estimates – they are informal because the conditioning variables differ in the NLSCY and CCHS. For example, the ratio of the estimated reduced form relationship between *POST* and months breastfeeding in the first year to the estimated first-stage relationship between *POST* and months not at work, is

²⁷ We cannot use the NLSCY here to estimate the pre-reform means for the treated because this survey does not collect information on exclusive breastfeeding.

$(0.746/2.284) 0.327$. Alternatively we could use the ratio of estimated relationships of these outcomes to weeks of mandated leave: $(0.031/0.092) 0.337$.²⁸

In Table 4 we present a formal TSIV estimate using conditioning variables that are common to the two data sets, and using weeks of mandated leave rather than *POST* as the instrument.²⁹ The estimated first-stage and reduced form relationships are very similar to those reported in the discussion of Tables 2 and 3; further evidence that the conditioning variables are not important to the inference. The TSIV estimate of 0.334 is very similar to its informal counterparts calculated above. Using our estimates of the sample means of the two variables for the treated, the TSIV result implies an elasticity of months of breastfeeding in the first year with respect to months not at work in the same period of 0.458. We are not aware of another estimate of this elasticity in the literature, and it indicates that breastfeeding is fairly responsive to time not at work, at least among women whose behavior is responsive to maternity leave mandates.

7.3 Health

Few previous studies of the health benefits of breastfeeding are based on clearly exogenous variation in breastfeeding behavior. The changes in breastfeeding induced by the expansion of maternity leave, therefore, lead us to extend our analysis to the health and wellbeing variables available in the NLSCY. While the NLSCY is not designed specifically as a health survey, it does ask a series of questions on birth outcomes and infant and mother's health. Importantly the questions span many of the outcomes that have been linked to breastfeeding behavior, including the incidence of respiratory ailments (asthma, allergies and ear infections).

²⁸ Using our scaled results for the treated yields the same TSIV estimate, as the scale factor simply divides out.

²⁹ The conditioning variables are province, mother's age (single year), mother's education (4 categories) urban residence and mother's immigration status.

Before discussing the results, two important qualifications should be mentioned. First, we cannot separate the impact of increased breastfeeding on these health outcomes from any impact of the increase in maternal care, since both happened simultaneously. We attempt to address this issue by choosing health indicators that are more plausibly related to breastfeeding and also by examining health outcomes in the child's second year of life when parental care is not very different pre- and post-reform.³⁰ Also, in most cases, any effects of the estimated changes in breastfeeding and parental care should reinforce each other. This would make findings of an absence of an effect more decisive. Second, the impact of the increase in maternity leave on breastfeeding was much stronger at longer breastfeeding durations and almost non-existent for breastfeeding initiation. This implies that our results will not be informative about the health impact of the decision to breastfeed or breastfeeding over the first one to three months. However, given the already high rates of breastfeeding initiation and the medical and policy focus on attaining durations of six months or more, the results should still prove illuminating.

The estimates are presented in Table 5. On the left side of the table are results for children aged 7-12 months, with results for children aged 13-24 months on the right. For both age groups, we implement the same two-stage estimation method as previously, looking for an impact of the reform on health outcomes.³¹ For the 13-24 month age group, we can also implement a difference-in-differences estimator using children age 25-36 months as the control group. The results for the 13-24 age group allow us to distinguish whether results for the age 7-12 month group are prophylactic or persistent. As well, they can help to distinguish between the

³⁰ The impact of the parental leave reforms on parental and non-parental care is studied in detail in Baker and Milligan (2007). They find a large substitution away from unlicensed non-parental care in someone else's home toward parental care in their own home for ages 7-12 months.

³¹ We also ran some two-sample IV regressions, using the provincially-varying weeks of mandated leave as an instrument for breastfeeding, with health outcomes as the dependent variable. The results were very similar to the reduced form approach we report. The IV regressions effectively force the maternity leave reform to affect health only through breastfeeding and not other potential channels. Because we have no *a priori* reason to assume other channels are not operative, we choose to focus on the reduced form results in the paper.

impact of breastfeeding and of direct maternal care, because there is very little change in care arrangements of children aged more than 12 months after the reform.³²

The first set of results is for the mothers. There are four variables—a 5 level indicator of mothers self-reported health, an index of depression, a 0/1 indicator of no post-partum depression, and a count of post-partum problems.³³ In none of the three specifications across the table do any of the mother's health variables indicate an impact of the reform. All estimates are statistically insignificant and small relative to the pre-reform mean.

The remaining rows in Table 5 contain the results for child's health. There is no evidence of an impact on current weight, either during the time of expanded leave from months 7 to 12 or following the leave in months 13 to 24. The 95 percent confidence interval around our point estimate precludes large effects. This is a potentially important result because while formula feeding is sometimes linked with obesity, there are also concerns that campaigns for longer breastfeeding—especially exclusive breastfeeding—might compromise the early growth of infants. There is also no impact on the child's overall health, as self-reported by the mother on a five point scale. Nor is there any suggested impact on the number of injuries or the incidence of nose/throat infections, both of which may have been expected to fall with the increased in maternal care.

We now turn to the results for ear infections, which have been linked to breastfeeding in past research. The estimated reduction in the incidence of ear infections for the younger children is 0.07. which while sizeable relative to the mean, does not quite meet our heightened bar for

³² See Baker and Milligan (2007) for details on the effect of the maternity leave expansions on the mode of childcare.

³³ The self-reported health index ranges from 1 (excellent) to 5 (poor). The depression index is based on a 0 to 3 score for twelve separate questions, giving a range from 0 to 36. Higher numbers indicate more depression. Post-partum problems include post-partum haemorrhage, post-partum infection, post-partum depression for more than 14 days and post-partum hypertension.

statistical significance at the five percent level. The estimated reduction for the 13-24 month olds, however, is both sizable and statistically significant. In the next row, the effect on the number of infections is negative, large and statistically significant for both age groups. The individual estimates of *YOB* in Tables A3 and A4 of the appendix suggest a causal interpretation is possible, although not as clear cut as we observed for the measures of labor supply and breastfeeding. Also, it is possible that the decrease in ear infections comes not from breastfeeding but from the substitution from non-parental to maternal care. For example, in non-parental care there may be higher exposure to viruses and bacteria from other children. However, we did not find a similar impact for nose and throat infections, which we might expect if this non-parental care channel were operative. This may lend some support for breastfeeding as the causal mechanism.

However, the difference-in-differences results for ear infections in the last column are small and insignificant. This points to some environmental factor that lowered the incidence of this ailment for all children aged 13-36 months in wave 5 of the data. To further investigate this hypothesis we estimated *POST* separately for children from the samples of mothers who returned to work within one year of birth (our sample of the “likely treated” based on post-birth employment) and of mothers who didn’t. The estimated reductions in the incidence and number of ear infections from these different samples (not reported) are very similar: negative, large and statistically significant. This is further evidence that the effect is related to environmental factors rather than increased breastfeeding or maternal care.

For the remaining health indicators, there are some significant estimates, but none appears to be robust. Moreover, the standard errors for some of the estimates are small enough to rule out (at the 95 percent level of confidence) large effects. The impacts on asthma and

allergies, which have been linked to breastfeeding in past research, are large and significant for children aged 7 to 12 months. In these cases, however, the *YOB* estimates in Table A3 vary substantially across cohorts, especially for asthma. The estimates for children age 13-24 do not indicate any persistence of these effects. Bronchitis shows a significant difference-in-difference estimate, but the *YOB* estimates for this variable suggest this is being driven by variation in the outcome in the control group. The estimate for chronic conditions is also statistically significant for 7 to 12 month olds, and the *YOB* estimates suggest a more systematic relationship to the reform. While the NLSCY tracks a number of specific chronic conditions, the subcategory of “other” chronic conditions seems to be driving the observed result, rendering this finding opaque. Again, this result does not appear to persist.

Our choice of health variables from the NLSCY has been guided by the links between breastfeeding and health reported in past research. The experimental study of Kramer et al. (2001) finds no effects on respiratory ailments; nor do we in the NLSCY. In (unreported) falsification tests we find no impact for outcomes such as birth weight, gestation, c-sections that no previous research has linked to breastfeeding. Finally, our data do not allow us to investigate effects on gastrointestinal problems or skin rashes – two ailments commonly linked to breastfeeding.³⁴ Overall, we find little evidence that the extra breastfeeding induced by the expanded parental leave policies led to improvements *in the health outcomes captured by the NLSCY for children aged up to 24 months*.

³⁴ The NLSCY does ask about any overnight hospital admissions due to gastrointestinal illness. The pre-reform incidence of this ailment is less than two percent in the 7-12 month age group. The estimated impact of the reform on this variable, while negative, is statistically insignificant.

8.0 Conclusions

We have studied the impact of a large increase in maternity leave entitlements on mothers' time away from work, breastfeeding, and mothers' and children's health. We uncover several interesting and relevant findings. First, there was a substantial increase in the number of months mothers were away from work post-birth; more than three months for those eligible for leave. Second, breastfeeding duration increased sharply, with significant increases in the proportion of mothers attaining public health breastfeeding benchmarks including six months exclusive breastfeeding. Finally, we find little effect of the increase in breastfeeding (and parental care) on self-reported indicators of the mother and child (in the first 24 months) health captured in the NLSCY.

These findings should be of interest to two groups of policymakers. For public health officials aiming to increase breastfeeding duration it appears the labor market policy may prove an effective way of achieving breastfeeding goals. More generally, the findings should prove useful for those interested in the impacts of compensated maternity leaves, such as the paid family leave program introduced in California in 2004 and similar programs being considered in Massachusetts, New York, New Jersey, and Washington.³⁵

In the future, more research on these cohorts of Canadian children may prove fruitful. Data and age constraints limited our study to children up to a few years of age in the present study, but as time unfolds longer-run health outcomes may be observed. Rigorous study of the data as it becomes available will allow a more complete picture of the health impacts of parental leave and breastfeeding to be formed.

³⁵ See Progressive States Network (2006) for details on legislative initiatives.

References

- American Academy of Pediatrics (1997), "Breastfeeding and the use of human milk," *Pediatrics*, Vol. 100, No. 6, pp. 1035–1039.
- Angrist, Joshua D. and Alan B. Krueger (1992), "The effect of age at school entry on educational attainment: An application of instrumental variables with moments from two samples," *Journal of the American Statistical Association*, Vol. 87, No. 418, pp. 328-336.
- Baker, Michael and Kevin Milligan (2005), "How does job-protected maternity leave affect mothers' employment and infant health?" NBER Working Paper 11135.
- Baker, Michael, Jonathan Gruber, and Kevin Milligan (2005), "Universal Childcare, Maternal Labor Supply, and Family Well-being," NBER Working Paper No. 11832.
- Baker, Michael and Kevin Milligan (2007), "Some early developmental impacts of maternal care: Evidence from maternity leave mandates." Manuscript, University of Toronto and University of British Columbia.
- Bertrand, Marianne, Esther Duflo, and Sendhil Mullainathan (2004), "How Much Should We Trust Difference in Difference Estimates?" *Quarterly Journal of Economics*, Vol. 119, No. 1, pp. 249-275.
- Bick, D. E., Macarthur, C., & Lancashire, R. J.(1988) "What influences the uptake and early cessation of breast feeding," *Midwifery*, Vol. 14 No. 4, pp. 242–247.
- Centers for Disease Control (2006), "Steps to a healthier US," DATA2010 ...the Healthy People 2010 Database. Available online at [<http://wonder.cdc.gov/data2010/focus.htm>]
- Chantry, Caroline J, Cynthia R. Howard, and Peggy Auinger (2006), "Full Breastfeeding Duration and Associated Decrease in Respiratory Tract Infection in US Children," *Pediatrics*, Vol. 117, No. 2, pp. 425-432.
- Chatterji, Pinka and Kevin D. Frick (2005), "Does Returning to Work After Childbirth Affect Breastfeeding Practices?" *Review of Economics of the Household*, Volume 3, No. 3, pp. 315 – 335.
- Dennis, Cindy-Lee (2002), "Breastfeeding Initiation and Duration: A 1990-2000 Literature Review," *Journal of Obstetric Gynecologic and Neonatal Nursing*, Vol. 31, No. 1, pp.12-32.
- Der, Geoff, G. David Batty, and Ian J. Deary (2006), "Effect of breast feeding on intelligence in children: prospective study, sibling pairs analysis, and meta-analysis," *British Medical Journal*, October 4th.

Department of Health and Human Services (2000), “HHS Blueprint for Action on Breastfeeding,” Office on Women’s Health. Washington DC.

Donald, Stephen G. and Kevin Lang (2007), “Inference with Difference in Differences and Other Panel Data,” *The Review of Economics and Statistics*, Vol. 89, No. 2.

Fein, Sara B. and Brian Roe (1998), “The effect of work status on initiation and duration of breast-feeding,” *American Journal of Public Health*, Vol. 88, No. 7, pp. 1042–1046.

Galtry, Judith (2003), “The impact on breastfeeding of labor market policy and practice in Ireland, Sweden, and the USA”, *Social Science & Medicine*, Vol. 57, No. 1, pp. 167-177.

Gielen AC, Faden RR, O’Campo P, Brown CH, Paige DM (1991), “Maternal employment during the early postpartum period: effects on initiation and continuation of breastfeeding,” *Pediatrics*, Vol. 87, No. 3, pp. 298–305.

Hamlyn, Becky, Sue Brooker, Karin Oleinikova, and Sarah Wands (2002), *Infant Feeding 2000*, Norwich: The Stationery Office.

Hanratty, Maria and Eileen Trzcinski (2006), “Who benefits from expanded paid parental leave? Impact of parental benefit expansions in Canada on mothers’ employment after birth,” manuscript, University of Minnesota and Wayne State University.

Health Canada (2004), *Exclusive Breastfeeding Recommendation 2004 Health Canada Recommendation*, Her Majesty the Queen in Right of Canada.

Human Resources and Skills Development Canada (2005), “Summative evaluation of EI parental benefits,” Strategic Policy and Planning, Ottawa.

Jappelli T., J.S. Pischke and N.S. Souleles (1998), “Testing For Liquidity Constraints In Euler Equations With Complementary Data Sources,” *The Review of Economics and Statistics*, Vol. 80, No. 2, pp. 251-262.

Klerman, Jacob Alex and Arleen Leibowitz (1997), “Labor supply effects of state maternity leave legislation,” in Francine D. Blau and Ronald G. Ehrenberg (eds.) *Gender and Family Issues in the Workplace*. New York: Russell Sage Foundation.

Kramer, Michael S. Beverley Chalmers, Ellen D. Hodnett, Zinaida Sevkovskaya, Irina Dzikovich, Stanley Shapiro, Jean-Paul Collet, Irina Vanilovich, Irina Mezen, Thierry Ducruet, George Shishko, Vyacheslav Zubovich, Dimitri Mknuik, Elena Gluchanina, Viktor Dombrovskiy, Anatoly Ustinovitch, Tamara Kot, Natalia Bogdanovich, Lydia Ovchinnikova, Elisabet Helsing for the PROBIT Study Group (2001), “Promotion of Breastfeeding Intervention Trial (PROBIT): A Randomized Trial in the Republic of Belarus” *Journal of American Medical Association*, January 24/31—Vol 285, No. 4, pp. 413-420.

Kramer, Michael S., Tong Guo, Robert W. Platt, Zinaida Sevkovskaya, Irina Dzikovich, Jean-Paul Collet, Stanley Shapiro, Beverley Chalmers, Ellen Hodnett, Irina Vanilovich, Irina Mezen, Thierry Ducruet, George Shishko, and Natalia Bogdanovich (2003), "Infant growth and health outcomes associated with 3 compared with 6 months of exclusive breastfeeding," *The American Journal of Clinical Nutrition*, Vol. 78, pp. 291-295.

Kramer, Michael S., and Ritsuko Kakuma (2002), *The optimal Duration of Exclusive Breastfeeding A Systematic Review*, World Health Organization.

Kurini N, Shiono PH, Ezrine SF, Rhoads GG (1989), "Does maternal employment affect breastfeeding?" *American Journal of Public Health*, Vol. 79, pp.1247-50.

Lansinoh Laboratories (2003), "Lansinoh National Breastfeeding Survey Results," Press Release. Available online: <http://www.corporatenews.net/cgi-bin/pc201v3.php?source=pc200v3.php&pr=11&pccl=24610> [March 22, 2007].

Lindberg L.D. (1996), "Women's decisions about breastfeeding and maternal employment," *Journal of Marriage and the Family*, Vol. 58, No. 1, pp. 239-251.

Milligan, Kevin and Mark Stabile (2007), "The integration of child tax credits and welfare: Evidence from the Canadian National Child Benefit program," *Journal of Public Economics*, Vol. 91, No. 1-2, pp. 305-326.

Progressive States Network (2006), "State Legislative Models for Building a Family-Friendly America." Available online at www.progressivestates.org/momrising.

Rabin, Roni (2006), "Breast-Feed or Else," *New York Times*, June 13th.

Roe, B., Whittington, L. A., Fein, S. B., & Teisl, M. F. (1999), "Is there competition between breast-feeding and maternal employment?" *Demography*, Vol. 36, pp. 157-171.

Ruhm, Christopher (2000). 'Parental leave and child health', *Journal of Health Economics*, vol. 19(6), pp. 931-60.

Schwartz, Kendra, Hannah J.S. D'Arcy, Brenda Gillespie, Janet Bobo, Marylou Longeway, Betsy Foxman (2002), "Factors associated with weaning in the first 3 months postpartum" *Journal of Family Practice*, Vol. 51, No. 5.

Statistics Canada (2006), "Employment Insurance Coverage Survey," *The Daily*, November 1st.

Tanaka, Sakiko (2005), "Parental leave and child health across OECD countries", *Economic Journal*, Vol. 115, pp. F7-28.

Visness, C. M., & Kennedy, K. I.(1997), “Maternal employment and breast-feeding: Findings from the 1988 national maternal and infant health study,” *American Journal of Public Health*, Vol. 87, No. 6, pp. 945–950.

World Health Organization (2001), “Report of the Expert Consultation on the Optimal Duration of Exclusive Breastfeeding,” Department of Nutrition for Health and Development and Department of Child and Adolescent Health and Development, Geneva.

Table 1: The Extension of Mandated Parental Leave by Jurisdiction

	Weeks of leave in 2000	Date of Extension	Weeks of leave post- reform
Newfoundland	29	31-Dec-00	52
Prince Edward Island	34	31-Dec-00	52
Nova Scotia	34	31-Dec-00	52
New Brunswick	29	31-Dec-00	54
Quebec	70	no reform	70
Ontario	35	31-Dec-00	52
Manitoba	34	31-Dec-00	54
Saskatchewan	30	14-Jun-01	52
Alberta	18	7-Feb-01	52
British Columbia	30	31-Dec-00	52
Federal	41	31-Dec-00	54
Employment Insurance	25	31-Dec-00	50

Notes: The source is provincial statutes and federal labor standards publications.

Table 2: Estimated impact of longer maternity leave mandates on time spent not at work post-birth (NLSCY data)

	Pre- Reform Mean	POST	POST No Controls	POST UR Control
Months not at work in the first year	8.23	2.284* (0.299)	2.158* (0.258)	2.273* (0.331)
Months not at work \geq one month	0.96	0.022 (0.009)	0.019* (0.006)	0.021 (0.013)
Months not at work \geq three months	0.92	0.039* (0.012)	0.035* (0.011)	0.038* (0.015)
Months not at work \geq six months	0.81	0.091* (0.024)	0.079* (0.018)	0.090* (0.025)
Months not at work \geq nine months	0.47	0.371* (0.040)	0.353* (0.035)	0.369* (0.046)
Months not at work \geq twelve months	0.41	0.291* (0.041)	0.277* (0.040)	0.291* (0.041)

Notes: N=6. Standard errors in parentheses. *~statistically significant at the 5% level. UR~conditional on month of birth unemployment rate. The column labeled 'POST' contains regression coefficients for the 'POST' variable in the second stage of our two-stage procedure. The column labeled 'POST No Controls' contains regression coefficients for the 'POST' variable in the second stage when the first-stage contained only year dummies and no other control variables. The column labeled 'POST UR Control' reports the regression coefficient for the 'POST' variable in the second stage when the first-stage included a province-year varying unemployment rate.

Table 3: Estimated impact of longer maternity leave mandates on breastfeeding in the (CCHS data)

	Pre- Reform Mean	POST	POST No Controls	POST UR Control
Incidence of breastfeeding	0.86	0.026 (0.011)	0.034* (0.011)	0.027 (0.012)
Months of breastfeeding in first year	5.34	0.746* (0.107)	0.781* (0.138)	0.735* (0.127)
Months of breastfeeding \geq one month	0.72	0.051* (0.015)	0.059* (0.014)	0.051* (0.014)
Months of breastfeeding \geq three months	0.63	0.067* (0.008)	0.074* (0.009)	0.064* (0.009)
Months of breastfeeding \geq four months	0.57	0.056* (0.008)	0.060* (0.007)	0.055* (0.010)
Months of breastfeeding \geq six months	0.47	0.081* (0.013)	0.084* (0.016)	0.080* (0.015)
Months of breastfeeding \geq nine months	0.26	0.060* (0.019)	0.058* (0.021)	0.058* (0.022)
Months of breastfeeding \geq twelve months	0.14	0.034 (0.012)	0.028 (0.015)	0.033 (0.013)
Months of exclusive breastfeeding in first year	3.07	0.379* (0.074)	0.371* (0.084)	0.370* (0.085)
Months of exclusive breastfeeding \geq three months	0.54	0.055* (0.012)	0.056* (0.012)	0.054* (0.014)
Months of exclusive breastfeeding \geq four months	0.43	0.058 (0.022)	0.053 (0.020)	0.058 (0.022)
Months of exclusive breastfeeding \geq six months	0.20	0.058* (0.014)	0.051* (0.015)	0.057* (0.018)
Introduced food due to work	0.06	-0.036* (0.010)	-0.033* (0.008)	-0.037* (0.010)
Stopped breastfeeding due to work	0.17	-0.082* (0.022)	-0.079* (0.021)	-0.084* (0.022)
Stopped breastfeeding baby ready for solid food	0.04	0.106* (0.032)	0.100* (0.032)	0.106* (0.032)
No breastfeeding due to work	0.05	-0.038* (0.017)	-0.029 (0.012)	-0.040* (0.015)

Notes: N=6. Standard errors in parentheses. *~statistically significant at the 5% level. The regression specifications are the same as described in Table 2.

Table 4: Two Sample Instrumental Variables Estimate of the Relationship between Months spent at home in first year and Months of Breastfeeding in first year

First-stage Relationship between months spent at home in first year and weeks of mandated leave (NLSCY)	0.092* (0.014)
Reduced Form Relationship between months breastfeeding in first year and weeks of mandated leave (CCHS)	0.031* (0.008)
TSIV estimate of the Relationship between Months spent at home in first year and Months of Breastfeeding in first year	0.334* (0.103)


Notes: Clustered standard errors in parentheses. Standard error for TSIV estimate following Jappelli et al. (1998). *~statistically significant at the 5% level.

Table 5: Estimated impact of longer maternity leave mandates/breastfeeding duration on health outcomes (NLSCY data)

	7-12 Months		13-24 Months		Difference in Difference
	Pre-Reform Mean	POST	Pre-Reform Mean	POST	
Mother's health	1.84	0.039 (0.044)	1.86	0.017 (0.038)	-0.016 (0.074)
Mother's depression	4.09	-0.171 (0.238)	3.92	-0.271 (0.191)	0.272 (0.254)
Absence of post-partum depression	0.88	0.012 (0.057)	N.A.	N.A	N.A
Mother post-partum problem	0.22	0.032 (0.016)	N.A	N.A	N.A
Child's current weight	9.39	-0.103 (0.154)	11.59	-0.023 (0.083)	0.044 (0.174)
Child's health	1.34	-0.082 (0.041)	1.44	-0.053 (0.056)	0.122 (0.074)
Child injured in past 12 months	0.03	0.008 (0.004)	0.07	0.003 (0.011)	-0.001 (0.019)
Child nose/throat infections	0.32	0.006 (0.041)	0.47	-0.012 (0.023)	-0.005 (0.056)
Child ear infections	0.25	-0.070 (0.030)	0.50	-0.125* (0.019)	-0.052 (0.037)
Child number of ear infections	0.42	-0.159* (0.069)	1.02	-0.289* (0.060)	-0.011 (0.138)
Child asthma	0.03	-0.014* (0.003)	0.06	-0.018 (0.007)	-0.024 (0.013)
Child wheeze	0.23	-0.000 (0.033)	0.27	-0.009 (0.016)	-0.009 (0.016)
Child allergies	0.07	-0.028* (0.008)	0.07	-0.006 (0.011)	-0.030 (0.019)
Child bronchitis	0.02	-0.005 (0.007)	0.02	-0.004 (0.006)	-0.015* (0.004)
Child chronic condition	0.12	-0.051* (0.012)	0.13	-0.020 (0.014)	-0.027 (0.028)

Notes: N=6 (N=. Standard errors in parentheses. *~statistically significant at the 5% level. N.A.= not available. The 'POST' columns report the regression coefficient on the 'POST' variable in the second stage of our two stage procedure. The 'Difference in Difference' column reports the regression coefficient on the 'POSTW-YNG' interaction variable described in equation (3) in the text.

Figure 1: Estimates of months before the mother returned to work by birth cohort, relative to 1998 births



Notes: Displayed are the coefficients on year of birth dummy variables using NLSCY data.

Figure 2: Proportion of mothers not at work by month post-birth, by birth cohort




Figure 3: Proportion of mothers still breastfeeding by month post-birth, by birth cohort




Table A1: Estimated impact of longer maternity leave mandates on time not at work

	1999	2000	2001	2002	2003
Months not at work in the first year	0.934 (0.230)	0.438 (0.244)	3.013 (0.228)	2.591 (0.228)	2.798 (0.228)
Months not at work \geq one month	0.028 (0.013)	0.020 (0.014)	0.045 (0.013)	0.032 (0.012)	0.042 (0.012)
Months not at work \geq three months	0.033 (0.018)	0.033 (0.019)	0.077 (0.017)	0.057 (0.017)	0.055 (0.018)
Months not at work \geq six months	0.067 (0.024)	0.044 (0.027)	0.159 (0.024)	0.109 (0.024)	0.127 (0.024)
Months not at work \geq nine months	0.125 (0.030)	0.041 (0.033)	0.457 (0.029)	0.414 (0.029)	0.435 (0.029)
Months not at work \geq twelve months	0.122 (0.031)	0.027 (0.032)	0.368 (0.032)	0.324 (0.032)	0.356 (0.031)

Notes: N=5758. Robust standard errors in parentheses.

Table A2: Estimated impact of longer maternity leave mandates on breastfeeding by year of birth

	1999	2000	2001	2002	2003
Incidence of breastfeeding	-0.003 (0.024)	-0.028 (0.024)	0.005 (0.021)	0.018 (0.021)	0.013 (0.022)
Months of breastfeeding in first year	-0.148 (0.336)	0.083 (0.032)	0.854 (0.297)	0.728 (0.332)	0.592 (0.316)
Months of breastfeeding \geq one month	-0.032 (0.033)	-0.050 (0.030)	0.024 (0.027)	0.009 (0.030)	0.006 (0.030)
Months of breastfeeding \geq three months	-0.030 (0.038)	-0.022 (0.033)	0.054 (0.031)	0.040 (0.035)	0.040 (0.033)
Months of breastfeeding \geq four months	0.019 (0.040)	0.003 (0.036)	0.071 (0.033)	0.046 (0.038)	0.061 (0.036)
Months of breastfeeding \geq six months	-0.008 (0.040)	0.009 (0.036)	0.098 (0.035)	0.077 (0.039)	0.064 (0.089)
Months of breastfeeding \geq nine months	-0.021 (0.035)	0.032 (0.033)	0.081 (0.032)	0.073 (0.036)	0.053 (0.034)
Months of breastfeeding \geq twelve months	-0.027 (0.027)	0.009 (0.026)	0.035 (0.026)	0.039 (0.029)	0.019 (0.027)
Months of exclusive breastfeeding in first year	0.238 (0.217)	0.129 (0.198)	0.578 (0.191)	0.499 (0.211)	0.393 (0.203)
Months of exclusive breastfeeding \geq three months	0.044 (0.041)	0.025 (0.037)	0.091 (0.035)	0.074 (0.039)	0.065 (0.038)
Months of exclusive breastfeeding \geq four months	0.091 (0.041)	0.081 (0.036)	0.131 (0.034)	0.102 (0.038)	0.135 (0.037)
Months of exclusive breastfeeding \geq six months	0.054 (0.030)	0.049 (0.027)	0.108 (0.026)	0.099 (0.031)	0.084 (0.028)
Introduced food due to work	0.014 (0.021)	-0.008 (0.018)	-0.028 (0.016)	-0.039 (0.017)	0.051 (0.017)
Stopped breastfeeding due to work	0.054 (0.033)	-0.009 (0.029)	-0.056 (0.026)	-0.087 (0.028)	-0.092 (0.026)
Stopped breastfeeding baby ready for solid food	0.002 (0.007)	0.056 (0.011)	0.105 (0.014)	0.162 (0.019)	0.174 (0.019)
No breastfeeding due to work	-0.006 (0.054)	-0.038 (0.045)	-0.046 (0.040)	-0.080 (0.040)	-0.069 (0.046)

Notes: N=5708 for all regressions except those for those in last four rows for which N=4778, 4709, 4709, 818, respectively. Robust standard errors in parentheses.

Table A3 Estimated impact of longer maternity leave mandates/breastfeeding duration on Health Outcomes in the NLSCY, 7-12 months by year of birth

	1999	2000	2001	2002	2003
Mother's health	0.435 (0.145)	0.043 (0.065)	0.026 (0.122)	0.091 (0.070)	0.114 (0.132)
Mother's depression	0.250 (0.763)	0.556 (0.362)	0.266 (0.594)	0.004 (0.334)	0.359 (0.619)
Absence of post-partum depression		-0.110 (0.030)	-0.031 (0.048)	-0.017 (0.025)	-0.183 (0.095)
Mother post-partum problem		0.007 (0.043)	-0.009 (0.065)	0.030 (0.043)	0.125 (0.092)
Child's current weight	0.106 (0.163)	-0.354 (0.097)	-0.251 (0.220)	0.075 (0.188)	0.829 (0.074)
Child's health	-0.104 (0.101)	-0.082 (0.053)	-0.185 (0.078)	-0.104 (0.058)	-0.186 (0.084)
Child injured in past 12 months	0.009 (0.025)	-0.001 (0.011)	0.014 (0.020)	0.006 (0.012)	0.022 (0.026)
Child nose/throat infections	-0.076 (0.072)	-0.102 (0.037)	-0.036 (0.068)	-0.039 (0.039)	-0.058 (0.073)
Child ear infections	-0.080 (0.069)	-0.041 (0.032)	-0.174 (0.052)	-0.071 (0.033)	-0.139 (0.069)
Child number of ear infections	-0.217 (0.116)	-0.105 (0.066)	-0.371 (0.087)	-0.173 (0.067)	-0.346 (0.097)
Child asthma	-0.025 (0.016)	-0.001 (0.014)	-0.022 (0.012)	-0.012 (0.012)	-0.013 (0.017)
Child wheez	-0.115 (0.042)	0.072 (0.036)	0.004 (0.048)	0.032 (0.034)	-0.021 (0.051)
Child allergies	0.000 (0.041)	0.018 (0.023)	-0.015 (0.027)	-0.019 (0.020)	-0.034 (0.027)
Child bronchitis	-0.014 (0.010)	-0.015 (0.015)	-0.004 (0.011)	0.003 (0.013)	-0.010 (0.009)
Child chronic condition	0.024 (0.063)	0.026 (0.029)	-0.051 (0.034)	-0.034 (0.027)	-0.062 (0.034)

Notes: N=1674 for all regressions, except mother's post-partum depression 1379 and mother's post-partum problems 1263. Robust standard errors in parentheses.

Table A4 Estimated impact of longer maternity leave mandates/breastfeeding duration on Health Outcomes in the NLSCY, 13-24 months by year of birth

	1999	2000	2001	2002	2003
Mother's health	0.083 (0.073)	0.114 (0.082)	0.134 (0.072)	0.036 (0.074)	0.071 (0.066)
Mother's depression	-0.237 (0.370)	-0.072 (0.371)	-0.730 (0.364)	-0.178 (0.332)	-0.250 (0.364)
Child's current weight	-0.195 (0.131)	-0.324 (0.125)	-0.203 (0.140)	-0.189 (0.151)	-0.091 (0.132)
Child's health	-0.128 (0.057)	0.003 (0.064)	-0.148 (0.056)	-0.030 (0.061)	-0.133 (0.053)
Child injured in past 12 months	-0.035 (0.022)	-0.035 (0.020)	-0.016 (0.024)	-0.020 (0.023)	-0.029 (0.019)
Child nose infections	-0.040 (0.043)	-0.090 (0.044)	-0.034 (0.043)	-0.086 (0.043)	-0.053 (0.040)
Child ear infections	-0.018 (0.043)	-0.012 (0.044)	-0.106 (0.042)	-0.183 (0.038)	-0.138 (0.039)
Child number of ear infections	-0.104 (0.106)	-0.124 (0.101)	-0.278 (0.101)	-0.441 (0.090)	-0.414 (0.098)
Child asthma	-0.005 (0.018)	0.010 (0.021)	-0.028 (0.018)	-0.005 (0.019)	-0.016 (0.019)
Child wheeze	-0.001 (0.038)	-0.019 (0.041)	-0.048 (0.037)	0.008 (0.041)	0.003 (0.035)
Child allergies	-0.006 (0.021)	-0.028 (0.021)	-0.002 (0.022)	-0.021 (0.019)	-0.027 (0.019)
Child bronchitis	-0.013 (0.009)	-0.010 (0.014)	-0.020 (0.010)	-0.001 (0.011)	-0.014 (0.010)
Child chronic condition	-0.032 (0.026)	-0.042 (0.027)	-0.043 (0.027)	-0.026 (0.025)	-0.059 (0.024)

Notes: N=3418 for all regressions Robust standard errors in parentheses.

Table A5 Full Sample Results

Time spent not at work post-birth	POST
Months spent at home in first year	2.092* (0.229)
Months at home \geq one month	0.017 (0.006)
Months at home \geq three months	0.031* (0.009)
Months at home \geq six months	0.080* (0.021)
Months at home \geq nine months	0.343* (0.031)
Months at home \geq twelve months	0.271* (0.029)
<hr/>	
Breastfeeding	
Incidence	0.028* (0.006)
Months of Breastfeeding in first year	0.665* (0.128)
Months of Exclusive Breastfeeding in first year	0.349* (0.071)
Introduced food due to work	-0.034* (0.009)
Stopped breastfeeding due to work	-0.079* (0.019)
Stopped breastfeeding baby ready for solid food	0.105* (0.034)
No breastfeeding due to work	-0.034 (0.017)

Notes: N=6. Standard errors in parentheses. *~statistically significant at the 5% level.